



# Machine Learning for CI

**Kyra Wulffert**

kwulffert@yahoo.com

**Matthew Treinish**

mtreinish@kortar.org


**Andrea Frittoli**

andrea.frittoli@gmail.com

[https://github.com/afrittoli/ciml\\_talk](https://github.com/afrittoli/ciml_talk)



# CI at Scale



- ▶ Continuous Integration
- ▶ Continuous Log Data
- ▶ Lots of data, little time
- ▶ Triaging failures?
- ▶ AI to the rescue!


Source: subunit2sql-graph dailycount

# The OpenStack use case

- ▶ Integration testing in a VM
- ▶ System logs, application logs
- ▶ Dstat data
- ▶ Gate testing
- ▶ Not only OpenStack

Normalized system average load for different examples

## Collecting data




Data caching diagram

- ▶ Automation and repeatability
- ▶ Light-weight data validation
- ▶ Object storage for data
- ▶ Periodic Action on OpenWhisk

# Experiment Workflow

- Visualize data
- Define a dataset
- Define an experiment
- Run the training
- Collect results
- Visualize data

```
# Build an s3 backed dataset
ciml-build-dataset --dataset cpu-load-1min-dataset \
  --build-name tempest-full \
  --slicer :2000 \
  --sample-interval 10min \
  --features-regex "(usr|1min)" \
  --class-label status \
  --tdt-split 7 0 3 \
  --data-path s3://cimlrawdata \
  --target-data-path s3://cimldatasets
```



Dataset preparation diagram

# Data Selection

- ▶ What is dstat data?
- ▶ Experiment reproducibility
- ▶ Dataset selection
  - ▶ Dstat feature selection
  - ▶ Data resolution (down-sampling)

Sample of dstat data

time	usr	used	writ	1m
16/03/2018 21:44:52	6.1	$7.36 \cdot 10^8$	$5.78 \cdot 10^6$	0.97
16/03/2018 21:44:53	7.45	$7.43 \cdot 10^8$	$3.6 \cdot 10^5$	0.97
16/03/2018 21:44:54	4.27	$7.31 \cdot 10^8$	$4.01 \cdot 10^5$	0.97
16/03/2018 21:44:55	1	$7.43 \cdot 10^8$	4,096	0.97
16/03/2018 21:44:56	0.5	$7.44 \cdot 10^8$	$1.5 \cdot 10^7$	0.97
16/03/2018 21:44:57	1.75	$7.31 \cdot 10^8$	4,096	0.97
16/03/2018 21:44:58	0.88	$7.43 \cdot 10^8$	4,096	0.9
16/03/2018 21:44:59	1.39	$7.31 \cdot 10^8$	$4.51 \cdot 10^5$	0.9
16/03/2018 21:45:00	1.01	$7.44 \cdot 10^8$	4,096	0.9
16/03/2018 21:45:01	0.75	$7.46 \cdot 10^8$	61,440	0.9
16/03/2018 21:45:02	1.26	$7.31 \cdot 10^8$	4,096	0.9
16/03/2018 21:45:03	1.13	$7.44 \cdot 10^8$	4,096	0.82
16/03/2018 21:45:04	5.77	$7.77 \cdot 10^8$	$1.72 \cdot 10^5$	0.82
16/03/2018 21:45:05	9.85	$8.31 \cdot 10^8$	$4.99 \cdot 10^6$	0.82
16/03/2018 21:45:06	3.88	$8.46 \cdot 10^8$	$8.25 \cdot 10^7$	0.82

# Data Normalization

## ► Unrolling

Sample of unrolled data


usr1	usr2	usr3	1m1	1m2	1m3
6.1	1.75	1.26	0.97	0.97	0.9
5.9	1.5	3.1	0.9	0.92	0.97
5.8	1.76	2.2	0.89	0.91	0.94

## ► Normalizing

Sample of normalized data

usr1	usr2	usr3	1m1	1m2	1m3
0.6	0.3	-0.5	0.6	0.6	-0.5
-0.1	-0.7	0.5	-0.3	-0.2	0.5
-0.4	0.3	0	-0.4	-0.4	0

# Building the dataset



Structure of a dataset

- ▶ Split in training, dev, test
- ▶ Obtain classes
- ▶ Store normalized data on s3
- ▶ Input function for training
- ▶ Input function for evaluation

# Experiment Workflow


- ▶ Visualize data
- ▶ Define a dataset
- ▶ Define an experiment
- ▶ Run the training
- ▶ Collect results
- ▶ Visualize data

```
# Define a local experiment
ciml-setup-experiment --experiment dnn-5x100 \
  --estimator tf.estimator.DNNClassifier \
  --hidden-layers 100/100/100/100/100 \
  --steps $(( 2000 / 128 * 500 )) \
  --batch-size 128 \
  --epochs 500 \
  --data-path s3://cimldatasets

# Train the model locally based on the dataset and
# experiment
# Store the evaluation metrics as a JSON file
ciml-train-model --dataset cpu-load-1min-dataset \
  --experiment dnn-5x100 \
  --data-path s3://cimldatasets

# Train the same model in a FfDL cluster
ffdl_train.sh cpu-load-1min-dataset dnn-5x100
```

# Training Infrastructure



FfDL Architecture - Source:

<https://developer.ibm.com/code/>


- ▶ TensorFlow Estimator API
- ▶ CIML wrapper
- ▶ ML framework interchangeable
- ▶ Training Options:
  - ▶ Run on a local machine
  - ▶ Helm deploy CIML, run in containers
  - ▶ Submit training jobs to Ffdl
  - ▶ Kubeflow

# Prediction

- ▶ Event driven: near real time
  - ▶ No request to serve the prediction to
  - ▶ MQTT Trigger from the CI system
  - ▶ CIML produces the prediction
  - ▶ Trusted Source: Continuous Training
- ▶ CIML kubernetes app components:
    - ▶ MQTT Client receives events
    - ▶ Data module fetches and prepares data
    - ▶ TensorFlow wrapper issues the prediction
    - ▶ Example: comment back on Gerrit/Github

# DNN - Binary Classification



- ▶ Classes: Passed or Failed
- ▶ Supervised training
- ▶ TensorFlow *DNNClassifier*, classes=2
- ▶ Dataset:
  - ▶ CI Job "tempest-full"
  - ▶ Gate pipeline only
  - ▶ 3000 examples, 2100 training, 900 test
- ▶ Hyper-parameters:
  - ▶ Activation function: ReLU
  - ▶ Output layer: Sigmoid
  - ▶ Optimizer: Adagrad
  - ▶ Learning rate (initial): 0.05
  - ▶ 5 hidden layers, 100 units per layer
  - ▶ Batch Size: 128, Epochs: 500



Network Graph - Source: TensorBoard



# DNN - Binary Classification

- ▶ Selecting the best feature set
- ▶ Primary metric: accuracy
- ▶ Aim for lower loss, caveat: overfitting
- ▶ Key:
  - ▶ **usr**: User CPU
  - ▶ **used**: Used Memory
  - ▶ **1m**: System Load - 1min Average
  - ▶ Data Resolution: **1min**
  - ▶ Source: TensorFlow evaluation
- ▶ Winner: (**usr**, **1m**) tuple
- ▶ Accuracy achieved: **0.992**
- ▶ 7 mistakes on a 900 test set



# DNN - Binary Classification

- ▶ Selecting the data resolution
- ▶ Primary metric: accuracy
- ▶ Aim for lower loss, caveat: overfitting
- ▶ Note: careful with NaN after down-sampling
- ▶ Key:
  - ▶ Original data frequency: 1s
  - ▶ x-axis: new sampling rate
  - ▶ Features: (**usr**, **1m**)
  - ▶ Source: TensorFlow evaluation
- ▶ Winner: **10s**
- ▶ Accuracy achieved: **0.993**
- ▶ 7 mistakes on a 900 test set




# Changing test job

metric	tempest-full	tempest-full-py3
accuracy	0.994	0.953
loss	47.176	86.873
auc_precision_recall	0.949	0.555

- ▶ Train with "tempest-full"
- ▶ Evaluating with "tempest-full-py3"
  - ▶ Similar setup, uses python3
  - ▶ It does not include swift and swift tests
  - ▶ 600 examples evaluation set
- ▶ Dataset and training setup:
  - ▶ Features: (usr, 1m)
  - ▶ Resolution: 1min
  - ▶ Same hyper-parameters

## Binary Classification - Summary


- ▶ User CPU and 1min Load Avg
- ▶ Resolution: 10s best, 1 minute may be enough
- ▶ High accuracy: **0.993**
- ▶ High auc\_precision\_recall: **0.945**
- ▶ A trained model might be applicable to similar CI jobs



Training Loss - usr/1m, 1min - Source: TensorBoard

# DNN - Multi Class


- ▶ Classes: Hosting Cloud Provider
- ▶ Supervised training
- ▶ TensorFlow *DNNClassifier*, classes=10
- ▶ Dataset:
  - ▶ CI Job "tempest-full"
  - ▶ Gate pipeline only
  - ▶ 3000 examples, 2100 training, 900 test
- ▶ Hyper-parameters:
  - ▶ Activation function: ReLU
  - ▶ Output layer: Sigmoid
  - ▶ Optimizer: Adagrad
  - ▶ Learning rate (initial): 0.05
  - ▶ 5 hidden layers, 100 units per layer
  - ▶ Batch Size: 128, Epochs: 500



Network Graph - Source: TensorBoard

# DNN - Multi Class



- Features: (usr, 1m)
- Resolution: 1min
- Loss converges, but...
- Evaluation accuracy achieved:  
***0.601***
- Not good!



Training Loss - usr/1m, 1min - Source: TensorBoard



# Multi Class - Different Features

- ▶ Try different combinations of features
- ▶ Primary metric: accuracy
- ▶ Aim for lower loss, caveat: overfitting
- ▶ Key:
  - ▶ **usr**: User CPU
  - ▶ **used**: Used Memory
  - ▶ **1m**: System Load - 1min Average
  - ▶ Data Resolution: **1min**
  - ▶ Source: TensorFlow evaluation output
- ▶ No real improvement
- ▶ Best accuracy achieved: **0.603**
- ▶ Adding Disk I/O or process data does not help either





# Multi Class - Changing Resolution

- ▶ Trying to change the data resolution
- ▶ Primary metric: accuracy
- ▶ Aim for lower loss, caveat: overfitting
- ▶ Key:
  - ▶ Original data frequency: 1s
  - ▶ x-axis: new sampling rate
  - ▶ Features: (**usr**, **1m**)
  - ▶ Source: TensorFlow evaluation
- ▶ No real improvement
- ▶ Best accuracy achieved: **0.624**





# Multi Class - Network topology

- ▶ Trying to change the network depth
- ▶ Trying to change number of units per layer
- ▶ Primary metric: accuracy
- ▶ Aim for lower loss, caveat: overfitting
- ▶ Key:
  - ▶ x-axis: units and hidden layers
  - ▶ Features: (**usr**, **1m**)
  - ▶ Resolution: **1min**
  - ▶ Source: TensorFlow evaluation
- ▶ No real improvement
- ▶ Best accuracy achieved: **0.668**





# Multi Class - Reducing the number of classes

- ▶ Reducing the number of classes
  - ▶ Different regions from a Cloud Operator
  - ▶ Consider as a single class
  - ▶ New number of classes is **6**
- ▶ Experiments:
  - ▶ Train with different feature sets
  - ▶ Train with different resolutions
  - ▶ Source: TensorFlow evaluation
- ▶ Significant improvement!
- ▶ Best accuracy achieved: **0.902**
- ▶ What does that mean?



# Multi Class - Tuning network topology

- ▶ Tuning network topology
- ▶ Experiments:
  - ▶ x-axis: units and hidden layers
  - ▶ Features: (**usr**, **1m**)
  - ▶ Resolution: **1min**
- ▶ Some improvement
- ▶ Winner: 3x100. Accuracy: **0.925**




## Multi Class - Changing test job

metric	tempest-full	tempest-full-py3
accuracy	0.925	0.775
average_loss	0.978	3.271
loss	586.713	1,962.447

- ▶ Train with "tempest-full"
- ▶ Evaluating with "tempest-full-py3"
  - ▶ Similar setup, uses python3
  - ▶ It does not include swift and swift tests
  - ▶ 600 examples evaluation set
- ▶ Dataset and training setup:
  - ▶ Features: (usr, 1m)
  - ▶ Resolution: 1min
  - ▶ Same hyper-parameters (dnn-3x100)

## Multi Class - Summary

- ▶ User CPU and 1min Load Avg
- ▶ Resolution: 1 minute is enough
- ▶ Hyperparameters: 3 hidden layers, 100 units each
- ▶ Reasonable accuracy: **0.925**
- ▶ A trained model is not applicable to similar CI jobs



Training Loss - usr/1m, 1min, dnn3x100 - Source: TensorBoard

# Conclusions

- ▶ Collect data
- ▶ Know your data
- ▶ Work with cloud tools
- ▶ Able to confirm that system load plays a role in failures
- ▶ Load profiles are consistent across regions in our cloud providers

## Future Work

- ▶ Build a service with persistence to track experiments over time
- ▶ Look at adapting techniques for new models with different data
- ▶ Human curated dataset for supervised training
- ▶ Research clustering techniques for unsupervised training
- ▶ Explore job portability

# Questions?

- ▶ This talk: [https://github.com/afrittoli/ciml\\_talk](https://github.com/afrittoli/ciml_talk)
- ▶ CIML: <https://github.com/mtreinish/ciml>